

# बिहार पुलिस भवन निर्माण निगम

( बिहार सरकार का उपक्रम )

कॉर्पोरेट पहचान सं० (CIN) U45200BR1974GC001126

प्रधान कार्यालय- कौटिल्य नगर, बि०वि०स०पु०-5, थाना हवाई अड्डा, पटना-800014.

उदय कुमार दास  
मुख्य अभियन्ता



मोबाईल नं० : 9471006801  
वेबसाईट : www.bpbcc.bihar.gov.in

पत्रांक- ..... 140 1284 /


दिनांक- ..... 15/4/2026

## प्रथम शुद्धि-पत्र

ई०-निविदा आमंत्रण सूचना संख्या- 31 / SBD / 2025-26

एतद् द्वारा सूचित किया जाता है कि इस कार्यालय के ई०-निविदा आमंत्रण सूचना संख्या- 31/SBD/2025-26, द्वारा आमंत्रित निविदा के कंडिका "9" पर वर्णित कार्य विवरणी के क्रमांक- 01, 02 एवं 03 में क्लास रूम / मॉडल थाना के BOQ के Furniture Part में सलग्न किए गए Specification के स्थान पर इस शुद्धि पत्र के साथ सलग्न किए जा रहे Specification को माना जाय।

शेष सभी शर्तें पूर्ववत् रहेगी।

  
मुख्य अभियन्ता,

बिहार पुलिस भवन निर्माण निगम, पटना।

# Model Estimate for Supplying Fixing & Installation Of Furniture & necessary Items, all Complete Job for Police Station Building

## ANNEXURE - I

SL. NO.	PRODUCT NAME	PRODUCT DESCRIPTION	Unit	Quantity	RATE IN FIG.		RATE IN WORDS	AMOUNT	
					Rs.	P.		Rs.	P.
1	EXECUTIVE TABLE	Table with ERU and Pedestal 1800 mm x 750 mm x 750 mm with KBPT, CPU Trolley - Structure / Frame of table - Four legs with modesty panel. The type of Storage provided- One side pedestal unit and E.R.U. Footrest-Not Provided. Table top Material- Prelaminated particle board (Wood Product) of grade II type II of IS 12823/Lates Thickness of table top material - 25 mm. Gable end material- Prelaminated particles board(wood product) of grade II type III of IS 12823/ Latest. Modesty panel material- Three Layer Prelaminated particles board (wood product) of grade II type III of IS 12823/Latest. The thickness of the modesty panel material- 18 mm. Leg Material- Mild Steel (MS) ERW. The thickness of the Leg material- 1.2 mm. Width of tabletop - 1800 mm. Depth of table - 750 mm. Height of table - 750 mm. Size (L x W) /diameter of leg material - 25 mm . ERU unit consists of - 1 storage unit with shutter. Total Number of drawers /storage in Pedestal units- Three drawers. Table top finish- Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/ Latest with having balancing laminate of 0.5mm thick on another side Tabletop shade- Gray. Table / ERU / Pedestal Panel Plain Side Edge to be banded with PVC tape - 2 mm thick with the help of hot melt glue. <b>Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC Platinum, BIFMA Level Certificate, Indoor Advantage Gold Certificate.</b>	Each	1	38205.20		Rs. Thirty Eight Thousand Two Hundred Five And Twenty Paise Only	38205.20	
2	EXECUTIVE CHAIR	<b>High Back Knitted Chair- Tilt mechanism - Synchronic tilt mechanism. Backrest type - Tilting type. Pedestal Base - Nylon Minimum density of foam used in seat- 30 kg per cubic meter Minimum thickness of PU foam used in seat - 30 mm Seat upholstery material- Fabric. Backrest base frame material - Hot pressed plywood. Padding at backrest - PU foam The minimum density of foam used in the backrest- 30 kg per cubic meter. Minimum thickness of PU foam used in backrest 30 mm . Backrest upholstery material - Fabric. Upholstery material thickness / fabric substance used in seat /backrest - 0.7 to 1.5 mm ( for fabric). Minimum width of seat 500 mm . Minimum depth of seat- 450 mm Minimum width of backrest - 450 mm . Backrest height- High back (551 and above). Minimum pedestal size (diameter) - 650 mm . (Green Guard by U/L). Dimension variation of ± 5mm shall be acceptable. <b>Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC Platinum, BIFMA Level Certificate, Indoor Advantage Gold Certificate.</b></b>	Each	1	16231.60		Rs. Sixteen Thousand Two Hundred Thirty One And Sixty Paise Only	16231.60	
3	OFFICE TABLE	Table with KBPT, CPU Tolley - made of MS ERW round tube dia 25.4 x 1.2mm thick with 18mm thick Pre Laminated top size- 1199 X 590 X 735 mm with one side three drawer unit made of .5mm thick CRCA sheet mild steel, All steel components have powder coated paint fitted with lock. (Green Guard by U/L, Griha Certificate). Dimension variation of ± 5 mm shall be acceptable. <b>Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC Platinum, BIFMA Level Certificate, Indoor Advantage Gold Certificate.</b>	Each	36	25446.30		Rs. Twenty Five Thousand Four Hundred Forty Six And Thirty Paise Only	916066.80	
4	STAFF CHAIR (S TYPE)	CHAIR- Seat and back are made from seasoned wood and plywood. The same is upholstered with black synthetic leather and polyurethane foam. Back Size - 46.0 cm ( W ) X 27.0 cm ( H ). Seat Size- 46.0 cm ( W ) x 40.0 cm ( H ). The armrest is gas assisted injection moulded from black polypropylene. The understructure assembly is a cantilever type frame. Width of the chair- 58 cm, Depth- 56.5 cm, Height- 87.5 cm, Seat Height- 48 cm. Dimension variation of ± 5mm shall be acceptable. <b>Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC Platinum, BIFMA Level Certificate, Indoor Advantage Gold Certificate.</b>	Each	47	7087.30		Rs. Seven Thousand Eighty Seven And Thirty Paise Only	333103.10	

5	VISITOR CHAIR	Chair Type - Non-Revolver and Non-Tilting chair without Armrest. Chair frame type- Cantilever. Armrest type- Without Armrest. Seat type - Padded. Backrest type - Padded Frame, Material Configuration - One piece. Frame material - Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment). Seat material - Moulded Plywood. Seat material thickness - 20 mm. Polyurethane foam used in seat. Seat upholstered with -N.A . GSM of seat cover - 390 GSM . Backrest material- Moulded Plywood . Backrest upholstered with- Leatherette. Seat Depth 390 mm . Seat Width - 440 mm Seat height from floor surface - 475 mm Backrest width 390 mm . Backrest height from seat - 300 mm . Paint Type- Epoxy. CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018. Dimension variation of $\pm 5$ mm shall be acceptable. Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC Platinum, BIFMA Level Certificate, Indoor Advantage Gold Certificate.	Each	58	4004.00	Rs. Four Thousand Four Only	232232.00
6	ALMIRAH	Storage of Size- 1980mm ( H ) x 900mm ( W ) x 500mm ( D ) - Type of AlmiraH Steel- AlmiraH steel welded with shelving cabinet. Nuber of Door - 2. Number of shelves - 04. Powder Coating - with 50 micron thickness minimum. Bod- Body panels are made fom combination of 0.5 and 0.6mm CRAC. Hardware - Main shutter Lock- 3 way 90 degree removable key type cam lock & locking mechanisam. Dimension variation of $\pm 5$ mm shall be acceptable. Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC Platinum, BIFMA Level Certificate, Indoor Advantage Gold Certificate, Green Guard by I/L and BIS Certificate.	Each	10	33458.70	Rs. Thirty Three Thousand Four Hundred Fifty Eight And Seventy Paise Only	334587.00
7	RECEPTION TABLE	Reception Table of size 5' Liner of size 1500 mm (W) x 870 mm (D) x 1080 mm (H) -Work Surface -Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Access Flap provided on work surface for wire management. Wire Management - Power box made with 0.8 mm thick CRCA ( IS: 513 ), with switch plate (8+3 Module cutout provision for Anchor Roma). This is fixed with worktop along the width at Access Flap position. Modesty Panel & Side Skirting - Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Understructure - Made of 18mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping. TOP shelf-Made of 18mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Hinge Door + Drawer unit - Made of 18mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping. **Drawer bottom is made of 5.5thk MDF whiteboard Handle is provided for ease of opening. HDU and Drawer is provided with cam lock for security. Essential Accessories - Wire Riser made of 0.8 mm CRCA ( IS-513 ) is provided for proper wire management. Organizer Plate made of 1.2mm CRCA ( IS-513 ) is provided for magnetic sticky notes. Bag Hanger Hook made of 1.2mm CRCA ( IS-513 ) is provided for bag hanging. The product should be Greenguard UL certified. Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA	Each	1	70297.70	Rs. Seventy Thousand Two Hundred Ninety Seven And Seventy Paise Only	70297.70
8	RECEPTION CHAIR	Mid Back Chair - Size- 700 mm ( W ) x 1055 mm ( H ) x 700 mm ( D). Seat Upholstry- Fabric.Back Upholstry- Fabric. Seat Height- 538 mm. Warranty- 3 Years. The pedestal is injection moulded in black 30% glass-filled Nylon and fitted with 5 nos. twin wheel castors. The pedestal is 66.0 cm pitch-center dia. (76.0 cm with castors.) TWIN WHEEL CASTORS: The twin wheel castors are injection moulded in Black Nylon. Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC Platinum, BIFMA Level 2, Indoor Advantage Gold Certificate,	Each	2	11017.60	Rs. Eleven Thousand Seventeen And Sixty Paise Only	22035.20

9	SOFA (3 SEATER)	3 Seater Sofa-1710 mm ( W ) x 820 mm ( D ) x 850 mm ( H ) Frame Structure Material - 19 mm commercial board, Seat Cushion Material-foam, Type of Spring in the Base / Seating- web suspension, Type of Sofa and Backrest- Seat and Backrest are permanently fixed with the frame Structure, Frame Covering- Fully Upholstered, Density of Cushion of Backrest Material (Kg/Cubic M) - 32, Covering Material for Seat and Backrest-Leatherite. <b>Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC Platinum, BIFMA Level Certificate, Indoor Advantage Gold Certificate.</b>	Each	3	27967.50	Rs. Twenty Seven Thousand Nine Hundred Sixty Seven And Fifty Paise Only	83902.50
10	CENTRE TABLE	COFFEE TABLE - Number of storage under top Double storage (one at upper portion and one at bottom portion) Top material - Other wood. Frame material - Other wood Dimension of Top ( Length X Breadth, or Diameter) 900 mm X 600 mm . Height of centre table- 450 mm . Thickness of top material - 18 mm . Thickness of frame material - 19 mm. <b>Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC Platinum, BIFMA Level Certificate, Indoor Advantage Gold Certificate,</b>	Each	3	12312.30	Rs. Twelve Thousand Three Hundred Twelve And Thirty Paise Only	36936.90
11	COMPACTOR	COMPACTOR 1 BAY - 1 Bay (Static body - 1 + Single faceb movable -1 + Double faced - 3+rail 2400+1600).OPTIMIZER PLUS-PUSHPULL (1200W, 400D,1980H).Optz Plus SS1, Optz Plus SL1, Optz Plus TM1 Solid back panel.CHANNELS (RAILS)- Optz Plus P1/P2 CHNL 1600mm. Optz Plus P1/P2 CHNL 2400mm . The product should be, GREENGUARD UL & Griha certified ( <b>Company CERTIFICATE- ISO 9001:2015, AIQTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC Platinum, BIFMA Level Certificate, Indoor Advantage Gold Certificate.</b>	Each	2	404998.00	Rs. Four Lakh Four Thousand Nine Hundred Ninety Eight Only	809996.00
12	REVOLVING CHAIR	Mid Back Chair - Size- 700 mm ( W ) x 1055 mm ( H ) x 700 mm ( D ). Seat Upholstry- Fabric.Back Upholstry- Fabric. Seat Height - 538 mm. Warranty- 3 Year. The pedestal is injection moulded in black 30% glass-filled Nylon and fitted with 5 nos. twin wheel castors. The pedestal is 66.0 cm pitch-center dia. (76.0 cm with castors). TWIN WHEEL CASTORS: The twin wheel castors are injection moulded in Black Nylon. <b>Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC Platinum, BIFMA Level Certificate, Indoor Advantage Gold Certificate,</b>	Each	10	11017.60	Rs. Eleven Thousand Seventeen And Sixty Paise Only	110176.00
13	METAL SINGLE BED	METAL BED with 78x36x4 mattress - Structure of Metal bed frame including legs and head Structure-MS Hollow Rectangular / Square Section.Size of Rectangular Hollow section - 50 mm X 25 mm. Size of Square Hollow Section - 38 mm X 38 mm Size of Circular Hollow Sections - N.A.Thickness of Hollow Section in Structure-1.2 mm. Support Panel for placement of mattresses- MS hollow box Square Section.Thickness of support Panel -1.0 mm. Over all length of Bed - 2000 mm. Height of Bed in mm - 650 mm. Paint /Finish of MS Parts-Powder Coating. Min Powder/paint coating thickness ( Micron) - 60 micron. <b>Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC Platinum, BIFMA Level Certificate, Indoor Advantage Gold Certificate.</b>	Each	30	23751.20	Rs. Twenty Three Thousand Seven Hundred Fifty One And Twenty Paise Only	712536.00
14	DINING TABLE (6 SETER)	Cafeteria table of size- 1800 mm x 750 mm x 750 mm - Upbeat cafeteria table with cube leg & PU Top of size- 1800 x 750 x 750. (Certificate- Green Guard by U/L). Dimension variation of $\pm 5$ mm shall be acceptable. <b>Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC Platinum, BIFMA Level Certificate, Indoor Advantage Gold Certificate.</b>	Each	4	22850.30	Rs. Twenty Two Thousand Eight Hundred Fifty And Thirty Paise Only	91401.20
15	DINING CHAIR	MS Chair - Shape of the Cafeteria Chair Seat - Any Other Shape. Chair Armrest - Without Armrest. Material of Chair Seat - Moulded Plastic . Seat with Cushion - No. Thickness of Cushion for Seat - 0 millimeter.Upholstery Material of Seat- Not Applicable. Material of Chair Back- Moulded Plastic. Back with Cushion- No Thickness of Cushion for Back. 0 millimeter. Density of Back Cushion Kg/m <sup>3</sup> - 0. Material of the Chair Under structure - MS Powder Coated. Height of Chair Seat from ground - 459 mm. Overall Height of Chair from ground - 818 mm. <b>Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC Platinum, BIFMA Level Certificate, Indoor Advantage Gold Certificate,</b>	Each	32	3430.90	Rs. Three Thousand Four Hundred Thirty And Ninety Paise Only	109788.80

16	WHEEL CHAIR	FOLDING WHEEL CHAIR - Total weight of Wheel Chair ( Kg ) - 8. Back rest with Cushion- Yes, With Cushion on Seat . Leg guard type- Swinging and Detachable. Slope of Seat ( Degree ) - 0. Type of Back rest - Foldable. Overall Length (mm) - 790. Foldable - Yes. Types of Wheel Chairs- Attendant Controlled Non Powered. Frame tube thickness (mm) - 1.2. Clearance of frame from floor ( mm ) - 0. Overall Height ( mm ) - 870 . Loading Capacity ( Kg ) - 100. Arm rest Type - Fixed. Cushion Material Thickness ( mm ) - 30. Seat Depth ( mm ) - 400. Distance between seat and foot rest ( mm ) - 420. Clearance of footrest from floor ( mm ) - 150. Finish of Aluminium casts- Anodized. Hand Rim - With. Handle for push/pull action of Wheel Chair- Yes. Thickness of Seat ( mm ) - 30. Slope of the backrest with respect to floor ( Degree ) - 90. Rear wheel tyre type Solid- Arm rest height from seat ( mm ) - 105. Cushion on Arm rest- With. Types of foot rest - Swinging without Height Adjustment Frame tube Dia ( mm ) - 22. Width of wheel chair- Fixed. Seat Height- Fixed. Seat hight from floor at the front ( mm ) - 520. Thickness of back rest (mm) - 10 <b>Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC Platinum, BIFMA Level Certificate, Indoor Advantage Gold Certificate, CE Certificate from European notifying agency with 4 -digit registration number (as available on CE website), ISO-13485:2016,</b>	Each	1	27065.50	Rs. Twenty Seven Thousand Sixty Five And Fifty Paise Only	27065.50
17	Dustbin 13 Litre	Stainless Steel Grade-304, Capacity-13 Litre pedal operated	Each	5	3554.10	Rs. Three Thousand Five Hundred Fifty Four And Ten Paise Only	17770.50
18	Dustbin 120 Litre	HDPE plastic, 100% virgin plastic, reinforced walls, UV protected outdoor bin with 200 mm rubber-tired wheels for mobility, hinged lids securely fitted. Capacity-120 Litre.	Each	2	6988.30	Rs. Six Thousand Nine Hundred Eighty Eight And Thirty Paise Only	13976.60
19	RO Water Purifier 80 Litre	RO water purifier inbuilt RO UV purification water coolers, Body Material stainless steel, cold water temperature-15 to 45 Degree C, Cooling capacity - 60 LPH, No of faucets-2, Refrigerant-R134a, Current-4.5 +-10%A, voltage-230 +-10% V AC, Frequency-50 Hz, 1 Phase, RO purification, 7 stages of filtration, fully automatic, faster cooling Low Power Consumption, High output	Each	1	51584.50	Rs. Fifty One Thousand Five Hundred Eighty Four And Fifty Paise Only	51584.50
20	RO Water Purifier 50 Litre	RO water purifier inbuilt RO UV purification water coolers, Body Material stainless steel, cold water temperature-15 to 45 Degree C, Cooling capacity - 60 LPH, No of faucets-2, Refrigerant-R134a, Current-4.5 +-10%A, voltage-230 +-10% V AC, Frequency-50 Hz, 1 Phase, RO purification, 7 stages of filtration, fully automatic, faster cooling Low Power Consumption, High output	Each	4	44579.70	Rs. Fourty Four Thousand Five Hundred Seventy Nine And Seventy Paise Only	178318.80
21	AC 1.5 Ton Voltas, Blue Star or Equivalent	Ac-1.5 Ton 5 Star split inverter with Wi-fi, Split Air-Conditioners:- Drilling holes into a brick wall to take out the pipes (excluding core cutting)-Fixing a hole sleeve & Cap - Fixing & connecting indoor and outdoor units with copper pipes & installation of drainage pipes using the standard kit provided by the manufacturer-installation of separately purchased power plug, MCB & power stabilizer- Temperature & gas pressure testing including Five year maintenance.	Each	2	77000.00	Rs. Seventy Seven Thousand Only	154000.00
22	TV 32'	Fully Smart TV voice assistant, LED full HD Design, slim, glossy black design with thin bezels (VNB), suitable for compact spaces.	Each	2	25534.30	Rs. Twenty Five Thousand Five Hundred Thirty Four And Thirty Paise Only	51068.60
23	Sanitary Napkin Vending Machine (Automatic)	Automatic, wall mounted, any size napkin intact, operating free, number of napkin-50, Body mild steel 1 mm thick, antirest powder coated, stock massage-Auto senior, ISI mark, warranty-03 Years	Each	1	40274.30	Rs. Forty Thousand Two Hundred Seventy Four And Thirty Paise Only	40274.30
24	Sanitary Pad In Cinerator Machine	Automatic (Autostart), wall mountable, electronically operated, front load, two chambers, thermal insulation body of MS sheet 1.0 mm powder coated, exhaust pipe, detachable ash tray, ceramic heater overload protector, electronic thermostat based auto cutoff warranty-03 Years	Each	1	42642.60	Rs. Forty Two Thousand Six Hundred Forty Two And Sixty Paise Only	42642.60
<b>Grand Total Including GST</b>						<b>4494197.40</b>	
<b>Say Rs.</b>						<b>4500000.00</b>	

\*\*\* Note:- Dimension variable upto  $\pm 30$  mm is acceptable.

15/3/20  
Junior Engineer

Asstt. Engineer

15/3/20  
Executive Engineer

Enclosed rate of M&M is approved

Mur L

6/04/20

मुकेश कुमार  
अधीक्षण अभियंता-2

**Model Estimate for Supplying Fixing & Installation Of Furniture & necessary Items, all Complete Job for Training Class rooms buildings**

ANNEXURE - I

ESTIMATED AMOUNT : Rs. 2906150.00

SINO	CODENNO	DESCRIPTION	UNIT	QUANTITY	RATE IN FIG.		RATE IN WORDS	AMOUNT	
					Rs.	P.		Rs.	P.
1		OfficeTable of size 1500 X 750 X 740+ERU of size 1050 X 450 X 705+Pedestal of size 646H x 390W x 440D.size shall be 1500 Width mm x 750 Depth mm x 740 Height mm .Table top shall be 25 mm thick plain particle board (PPB) Clad with 0.6 mm thick post formed laminate and 1 mm thick backing laminate (bdl) .Flat edge Duly sealed with 2 mm thick PVC beading.The modesty shall be 18 mm thick plain particle board ( ) PPB Clad with 1.0 mm thick decorative laminate (DL) on both sides. Edge Sealed with 2 mm thick PVC beading.Finesse ERU -3616 LHS size shall be 1050 Width x 450 Depth x 705 Height. The top of Finesse ERU -3616 LHS shall be 25 mm thick plain particle board (PPB) Clad with 0.6 mm thick post formed laminate and 1 mm thick Backing Laminate ( BDL).Flat Edge duly sealed with 2 mm thick PVC beading. The Modesty shall be 18 mm thick plain particle board (PPB) Clad with 1.0 mm thick Decorative Laminate (DL) on both sides. Edge sealed with 2 mm thick PVC Beading.CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC,BIFMA Level Certificate, Indoor Advantage Gold Certificate.	Each	1.00	55492.00		Rs. Fifty Five Thousand Four Hundred Ninety Two Only	55492.00	
2		<b>Full High back chair with Headrest.</b> Only Seat Size Is The Back Size Is. Seat Maximum Height Is Back Height From Floor Maximum Height Is 1050mm & Minimum Height Is 950mm. Gas Lift 100 Mm Telescopic Hydraulic BaseTilt tension automatically adjusts based on the user?s body weight to provide required support. Be rest assured, there is no reverse push to the back in this chair.Height, Depth and Swivel adjustability of the armrest. The 3D armrest to provides complete support to the armrest in all positions of recline.Firm lumbar pad that automatically adjusts the lumbar depth, based on the body?s posture, and the mode of recline.. Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC,BIFMA Level Certificate, Indoor Advantage Gold Certificate.	Each	1.00	11997.00		Rs. Eleven Thousand Nine Hundred Ninety Seven Only	11997.00	
3		<b>VISITOR CHAIR, With Armrest -All Over Size Is :</b> 520mm (L) X 470mm (D) X 930mm (H), The Chair Made Of Full Fabric In Black Colour. It Will Comes In Matte Finish In Contemporary Style. Details : Arms : Fixed Armrest, Padded Armrest. Use Of Ply : 12 Mm Thick Hot Pressed Bwr Plywood (Is Grade - 303 For Seat And Back). Seat : 40 ± 2 Mm Thick Polyurethane Foam With Density 32 (±3) Kg Per Cu Meter For Best Quality Cushioning In Seat. Back : 40 ± 2 Mm Thick Polyurethane Foam With Density 32 (±3) Kg Per Cu Meter For Best Quality Cushioning In Back. Backrest Support Foam Design Based On Symmetrical Lumbar Support. Only Seat Size Is 520mm (L) X 470mm (H). Back Height Is @ 930mm. Fixed Cantilever Chair. Base : M.S, Powder Coated Tubular Frame Of Cantilever Type and Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC,BIFMA Level Certificate, Indoor Advantage Gold Certificate.	Each	5.00	6521.00		Rs. Six Thousand Five Hundred Twenty One Only	32605.00	

	<p><b>Steel AlmiraH/Storwel</b> of Size- 900mm ( W ) x 480mm ( W ) x 1980mm ( H ) - Type of AlmiraH Steel- AlmiraH steel welded with shelving cabinet. Storwel neo welded construction adds to the sturdiness of the almiraH and also ensure durability of the almiraH. Nंबर of Door - 2. Number of shelves - 04. Powder Coating - with 50 micron thickness minimum. Hardware - Main shutter Lock- 3 way 90 degree removable key type cam lock &amp; locking mechanism. Dimension variation of <math>\pm 15</math> mm shall be acceptable. Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC, BIFMA Level Certificate. Indoor Advantage Gold Certificate.</p>	Each	4.00	25777.00	Rs. Twenty Five Thousand Seven Hundred Seventy Seven Only	103108.00
5	<p><b>1 Str Qtr Desklet Chair - SEAT / BACK ASSEMBLY</b> : The Seat is injection moulded in glass filled Polypropylene compound which is upholstered with fabric upholstery covers and moulded Polyurethane foam. The Back is injection moulded in glass filled Polypropylene compound which is upholstered with Mesh fabric. * SEAT SIZE : 50.0cm. (W) x 48.0 cm. (D). * BACK SIZE : 53.0 cm. (W) x 39.0cm QUARTER DESKLET: The 'L' shape desklet is made of 1.8 <math>\pm</math> 0.05cm. thk. pre-laminated particleboard with 0.2 <math>\pm</math> 0.05cm. thk. injection moulded PolyPropylene all around. Desklet has Front and back adjustment of 8.0 cm <math>\pm</math> 0.5 cm  <b>OUTER DIMENSION:</b> 31.5<math>\pm</math>0.1cm. (W) X 47.0<math>\pm</math>0.1cm. (D) Company . <b>WIRE TRAY:</b> The paper tray is made of <math>\varnothing</math> 0.5 +0/-0.005cm. M.S. rod which is welded to form a mesh-type structure. It is powder coated ( DFT 50<math>\pm</math> 10 microns ). It will retro fit to Relax with desklet chair. Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC, BIFMA, Indoor Advantage Gold Certificate.</p>	Each	117.00	6852.00	Rs. Six Thousand Eight Hundred Fifty Two Only	801684.00
6	<p><b>Slotted Angle Rack</b> Of Size (L)900mm X (D)450mm X (H)1800mm Slotted Angle Rack (Open Type), 6 Shelves Including Top &amp; Bottom, Angles : 40mm X 40mm X 2mm(Thick). Shelf : 36X15X1mm Crca Sheet. In Color Grey. of load capacity 80 Kgs. UDL Max Per shelf. Shelf Material- 0.8 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513, Angle Posts Material and size-Rolled steel angle posts of 40 X 40 X 1.8 mm, M S Sheet Thickness of Shelves and Back (Minimum) in mm-0.8, Paint- Powder coated with Lead Free Paint. Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC, BIFMA Level Certificate, Indoor Advantage Gold Certificate.</p>	Each	20.00	10616.00	Rs. Ten Thousand Six Hundred Sixteen Only	212320.00

	<p><b>VISITOR CHAIR</b>, With Armrest -All Over Size Is : 520mm (L) X 470mm (D) X 930mm (H), The Chair Made Of Full Fabric In Black Colour. Details : Arms : Fixed Armrest, Padded Armrest. Use Of Ply : 12 Mm Thick Hot Pressed Bwr Plywood (Is Grade - 303 For Seat And Back). Seat : 40 ± 2 Mm Thick Polyurethane Foam With Density 32 (±3) Kg Per Cu Meter For Best Quality Cushioning In Seat. Back : 40 ± 2 Mm Thick Polyurethane Foam With Density 32 (±3) Kg Per Cu Meter For Best Quality Cushioning In Back. Backrest Support Foam Design Based On Symmetrical Lumbar Support. Only Seat Size Is 520mm (L) X 470mm (H). Back Height Is @ 930mm. Fixed Cantilever Chair. Base : M.S. Powder Coated Tubular Frame Of Cantilever Type. Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC,BIFMA Level Certificate, Indoor Advantage Gold Certificate.</p>	Each	5.00	6521.00	Rs. Six Thousand Five Hundred Twenty One Only	32605.00
8	<p><b>8 person Conference Table</b> Plt Stage Table (1350 X 600 X 750) 4Nos. Material of work top -25 mm thick prelaminated particle board, Table top plain side-Edge banded with PVC tape of 2 mm thick with help of hot melt glue, Material of Gable end and modesty panel-18 Mm Thick Three Layers Prelaminated Particle Boards Of Grade-II Type-III Of IS:12823/Latest Both Sides Particle Boards Matching With Top Shade In Grade-II Type-III, Length of Each Seat of Work Top ± 20 mm- 675 mm for single AND 1350 mm For dual,Depth of Work Top-600mm, Height of Work Top-750 mm, Corners of work top -850 mm, Table top finish-Laminate In Colour With matt Finish 0.6-0.8 Mm Thickness Of Type S,F Or P Having Index Number 3.2.3 Conforming To IS:2046/Latest With Having Balancing Laminate Of 0.5 Mm Thick On Other Side. Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC,BIFMA Level Certificate, Indoor Advantage Gold Certificate.</p>	Each	1.00	70569.00	Rs. Seventy Thousand Five Hundred Sixty Nine Only	70569.00

	<p><b>Mid back Mesh chair</b> without Headrest.All Over Size Is : 610mm (L) X 470mm (D) X 1040mm (H). The Chair Made Of Full Mesh In Black Colour. It Will Comes In Matte Finish, Style Type Is Gf Nylon Structure With Nylon Net On Back. Details : Arms : Fixed Pp Armrest. Use Of Ply : 12 Mm Thick Hot Pressed Bwr Plywood (Is Grade - 303 For Seat). Seat : 40 ± 2 Mm Thick Polyurethane Foam With Density 32 (±3) Kg Per Cu Meter For Best Quality Cushioning In Seat. Back : Frame Of Design Shall Be Curved, Made Of Two Pieces Injection Moulded Frame Cover With Mesh. Backrest Support Adjustable Lumbar Support. Mechanism : Single Locking Mechanism. Gas Lift : 100 Mm Telescopic Hydraulic. Base : 650mm Nylon Base With Smooth Castors.Tilt tension automatically adjusts based on the user?s body weight to provide required support. no reverse push in chair.Height, Depth and Swivel adjustability of the armrest for optimum arm support for all body movements. The 3D armrest to support the armrest in all positions of recline.Firm lumbar pad that automatically adjusts the lumbar depth, based on the body posture, and the mode of recline  <b>CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC,BIFMA Level Certificate, Indoor Advantage Gold Certificate.</b></p>	Each	8.00	10982.00	Rs. Ten Thousand Nine Hundred Eighty Two Only	87856.00
10	<p><b>VISITOR CHAIR, With Armrest -All Over Size Is : 520mm (L) X 470mm (D) X 930mm (H), The Chair Made Of Full Fabric In Black Colour. It Will Comes In Matte Finish In Contemporary Style. Details : Arms : Fixed Armrest, Padded Armrest. Use Of Ply : 12 Mm Thick Hot Pressed Bwr Plywood (Is Grade - 303 For Seat And Back). Seat : 40 ± 2 Mm Thick Polyurethane Foam With Density 32 (±3) Kg Per Cu Meter For Best Quality Cushioning In Seat. Back : 40 ± 2 Mm Thick Polyurethane Foam With Density 32 (±3) Kg Per Cu Meter For Best Quality Cushioning In Back. Backrest Support Foam Design Based On Symmetrical Lumbar Support. Only Seat Size Is 520mm (L) X 470mm (H). Back Height Is @ 930mm. Fixed Cantilever Chair. Base : M.S. Powder Coated Tubular Frame Of Cantilever Type. Company <b>CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC,BIFMA Level Certificate, Indoor Advantage Gold Certificate.</b></b></p>	Each	125.00	6521.00	Rs. Six Thousand Five Hundred Twenty One Only	815125.00

	<p><b>Single Bed W/o Storage and Without Mattress-</b> Without Storage Single Bed Size Is. The Mattress Panel Comes In 2 Part Over All Mattress Panel Ply Size Is 1844 mm(L) X 924 mm(D) From Ground To Mattres Panel Height Is @ 400 M. Structure consist of metal frames made of M.S. Channels in. Horizontal plinths and bottom plinth are made of 25 mm thick prelaminated particle Board Head board is made of 18 mm thick prelaminated particle board with imported H.D.F. foil wrapped decorative trims fixed to it. Tail board is made of 18 mm thick prelaminated particle board foil wrapped decorative trims fixed to it. Side is made of 18 mm thick prelaminated particle board .foil wrapped decorative trims fixed on to it. Mattress panels of Bed are made of 18 mm thick prelaminated particle board with all the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC, BIFMA Level Certificate, Indoor Advantage Gold Certificate.</p>	Each	16.00	26750.00	Rs. Twenty Six Thousand Seven Hundred Fifty Only	428000.00
12	<p><b>Single bed Mattress</b> of Single Bed Mattress Size 910mm(L) X 1829mm(D) X Height 4 Inch. Thickness Of Top Layer- 75mm, Thickness Of Bottom Layer- 25mm, Thickness Of Quilting - 10mm On Both Sides, Material Of Top Layer - Pu Foam, Material Of Bottom Layer - Pu Foam. Mattress Cover Fabric Composition - Polyester, Number Of Layers- Two Layers, Density Of The Mattress - 23, Fabric - China Knitting..- PU Foam Quilt. Warranty - 1 Year. PU Quilting: Jacquard Fabric to The product should be &amp; Griha certified Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC, BIFMA Level Certificate, Indoor Advantage Gold Certificate.</p>	Each	16.00	5508.00	Rs. Five Thousand Five Hundred Eight Only	88128.00
13	<p><b>Bed Side Table-</b> 440W x 450D x 510H mm with metal frames made of M.S. Channels in 1.0mm Thickness. Horizontal plinths and bottom plinth are made of 25 mm thick prelaminated particle Board Head board is made of 18 mm thick prelaminated particle board with imported H.D.F. foil wrapped decorative trims fixed to it. Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC, BIFMA Level Certificate, Indoor Advantage Gold Certificate.</p>	Each	2.00	6146.00	Rs. Six Thousand One Hundred Fourty Six Only	12292.00
14	<p><b>King Size Bed without Mattress</b> - Without Storage King Size Bed Size Is 2050 mm(L) X 1890 mm(D) X 1200 mm(H), The Mattress Panel Comes In 2 Part Over All Mattress Panel Ply Size Is 1996 mm(L) X 1844 mm(D) X From Ground To Mattres Panel Height Is @ 400 M. CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC, BIFMA, Indoor Advantage Gold Certificate.</p>	Each	1.00	35154.00	Rs. Thirty Five Thousand One Hundred Fifty Four Only	35154.00

	<b>Bed Side Table-</b> 440W x 450D x 510H mm with metal frames made of M.S. Channels in 1.0mm Thickness. Horizontal plinths and bottom plinth are made of 25 mm thick prelaminated particle Board Head board is made of 18 mm thick prelaminated particle board with imported H.D.F. foil wrapped decorative trims fixed to it. Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC,BIFMA Level Certificate, Indoor Advantage Gold Certificate.	Each	1.00	7760.00	Rs. Seven Thousand Seven Hundred Sixty Only	7760.00
16	<b>King Size Mattress of Size-</b> Dimension (W)1830mm X (D)1980mm X (H)4" - PU Foam Quilt. Warranty - 1 Year. PU Quilting: The PU quilting over the mattress. Jacquard Fabric. (Certificate-Green Guard by U/L). Dimension variation shall be Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC,BIFMA Level Certificate, Indoor Advantage Gold Certificate.	Each	1.00	11017.00	Rs. Eleven Thousand Seventeen Only	11017.00
17	<b>Dining Table of Size(mm)-</b> 1734 W x 1175 D x 750 H- Top shall be 25 mm thick base material shall be 25 mm MDF board . On top PU painting of minimum 2H hardness with 75% glass as per color chart .Combination color graphics on the centre . Brown Laminate on bottom specially profiled edges for comfort . The Understructure shall be having bend pipe structure of MS powder coated . Pipe dia 38 mm , 2 mm thick and it shall be fitted with top by SS machine screws . Legs shall be of MS powder coated and 38 mm dia. pipe legs are fixed with inderstructure and table top . Glide shall be of Plastic fixed at the understructure to prevent the damage of table top during stacking Company CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC,BIFMA Level Certificate, Indoor Advantage Gold Certificate.	Each	2.00	34335.00	Rs. Thirty Four Thousand Three Hundred Thirty Five Only	68670.00
18	<b>Dining Chair-</b> The single piece seat back shell is made up of injection moulded high impact strength glass filled polypropylene polymer compound Seat In Pvc Moulded Chair With Ss 202 Grade Frame. 3*4 Round Pipe - 16 Gauge With Fitting , Shell Color Green, Stackable Modern Design CERTIFICATE- ISO 9001:2015, AIOTA, BIFMA MEMBERSHIP, ISO 14001:2015, 50001:2018, GRIHA, IGBC,BIFMA Level Certificate, Indoor Advantage Gold Certificate. , CE Certificate, ISO-13485:2016,	Each	12.00	2643.00	Rs. Two Thousand Six Hundred Fourty Three Only	31716.00
					Total	2906098.00
					Say	2906150.00

\*\*\* Note:-Dimension variable upto  $\pm 30$  mm is acceptable.

*15/3/26*  
Junior Engineer

Asstt. Engineer

*15/3/26*  
Executive Engineer

*Enclosed rate is previously agreed*

*06/04/2026*  
मुकेश कुमार  
अधीक्षण अभियंता-2